

PERENNIAL

PROPAGATION

Lysimachia Open Cultivars

Lysimachia nummularia



TRAY & ROOTING

Form	Unrooted Cuttings (URC)
Rooting Hormone	No
Tray Size	72, 105
Plants Per Cell	1
Days In Mist	5-7
Wks. From Stick To Transplant	3-4
Pinch?	Yes
Days from stick to pinch	14-21

FERTILITY

Fertilize Through Mist?	No
Fertilizer Rate	50-75 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])
EC Range	0.8-2.0 mS via SME
pH Range	5.8-6.2

TEMPERATURE

Average Soil Temperature	65-72°F (18-22°C)
Average Air Temperature	65-72°F (18-22°C)

IRRIGATION

Irrigation Frequency	Level 3: Keep media moderately moist with mild dry cycles
----------------------	--

LIGHT

Supplemental	No
Benefits From Shade?	Yes

POTENTIAL DISEASES

Botrytis

POTENTIAL PESTS

Aphids, White Fly

PGR SUGGESTIONS

- Optional 300-500 ppm Florel (3.9% Ethephon)
- Optional 5-6 ppm Sumagic (0.055% Uniconazole)



‘Goldi’

TIPS

- Avoid dry conditions, plants will not recover after wilting.
- May require two pinches in propagation.

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com

614-850-9551

[DummenOrange.com](https://www.DummenOrange.com)

PERENNIAL

FINISHING

Lysimachia Open Cultivars

Lysimachia nummularia



VERNALIZATION

Vernalization Required? **No**

Vernalization Duration Minimum **N/A**

Vernalization Temperature **N/A**

CONTAINER SIZE	PLANTS PER POT	TRANSPLANT TO FINISH (WEEKS)
----------------	----------------	------------------------------

4 in./Qt. (10-12 cm)	1	4-6
-----------------------------	----------	------------

6 in./Gal. (15-16 cm)	3	5-8
------------------------------	----------	------------

FERTILITY

Fertilizer Rate **100-150 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])**

EC Range **2.0-3.5 mS via SME**

pH Range **5.8-6.2**

TEMPERATURE

Day Temperature **65-75°F (18-24°C)**

Night Temperature **55-65°F (13-18°C)**

IRRIGATION

Irrigation Frequency **Level 3: Keep media moderately moist with mild dry cycles**

LIGHT

Photoperiodic requirements **N/A: Grown for foliage**

Supplemental? **None**

Benefits From Shade? **Yes**

PINCHING

Finishing Pinch? **Yes**

Transplant to pinch (days) **14-21**

POTENTIAL DISEASES

Botrytis

POTENTIAL PESTS

Aphids, White Fly

PGR SUGGESTIONS

- 3-5 ppm Bonzi (0.4% Paclobutrazol) drench
- 3750 ppm B-Nine (85% Daminozide)



'Creeping Jenny Green'

TIPS

- As soon as pots are full, ship to avoid excessive runners and unnecessary tangle.
- Pinch and trim as needed to maintain full plant control and growth.

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com

614-850-9551

DummenOrange.com

PERENNIAL

FEATURES AND BENEFITS

Lysimachia Open Cultivars

Lysimachia nummularia



KEY INFORMATION

First Year Flowering?	N/A: Grown for foliage
Bloom Time	N/A: Grown for foliage
Exposure	Part Shade to Shade
Hardiness Zone	4-9
Height	2-4 inches (5-10 cm)
Width	24-48 inches (60cm-120 cm)

DESCRIPTION

Creeping to trailing, *Lysimachia* delivers bright foliage, striking colors, and tough tolerance across North America.

CONSUMER APPEAL

- The bright chartreuse foliage of this spreading groundcover makes it the perfect piece to brighten up dark areas of the garden.

GARDEN ATTRIBUTES

- *Lysimachia* is a wonderfully versatile perennial comfortable in containers, shady groundcover locations (even under trees and shrubs), shaded rock gardens, rain gardens, along ponds, and much more.
- Tolerant of wet to well drained soils. Can handle heavy clay and competition with tree root systems once established. Drought tolerant once established.
- Unless grown under absolutely ideal conditions, creeping Jenny is not dense enough to smother weeds.

NATIVITY

Europe

COMPANION PLANTS

Buddleia, *Paeonia*, *Eupatorium* (*Ageratina*), *Alstroemeria*, *Monarda*, *Agastache*, *Helleborus*, *Heuchera*

COMMON NAME(S)

Creeping Jenny, Moneywort



WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com

614-850-9551

DummenOrange.com