

PERENNIAL

PROPAGATION

Ocimum 'Pesto Perpetuo'

Ocimum x citriodorum



TRAY & ROOTING

Form	Unrooted Cuttings (URC)
Rooting Hormone	No
Tray Size	72
Plants Per Cell	1
Days In Mist	5-7
Wks. From Stick To Transplant	4-5
Pinch?	Yes
Days from stick to pinch	14-21

FERTILITY

Fertilize Through Mist?	No
Fertilizer Rate	50-100 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])
EC Range	2.0-3.5 mS via SME
pH Range	5.8-6.2

TEMPERATURE

Average Soil Temperature	65-72°F (18-22°C)
Average Air Temperature	65-72°F (18-22°C)

IRRIGATION

Irrigation Frequency	Level 3: Keep media moderately moist with mild dry cycles
----------------------	--

LIGHT

Supplemental	Optional
Benefits From Shade?	No

POTENTIAL DISEASES

Botrytis, Downy Mildew

POTENTIAL PESTS

?

PGR SUGGESTIONS

- None

TIPS

- Avoid overwatering after plants have rooted.
- Herbs are regulated as edible crops in both the USA and Canada. Only apply fungicides, insecticides, and PGRs that are approved for edible crop production in your state/ province.

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com

614-850-9551

DummenOrange.com

PERENNIAL

FINISHING

Ocimum 'Pesto Perpetuo'

Ocimum x citriodorum



VERNALIZATION

Vernalization Required? **No**

Vernalization Duration
Minimum **N/A**

Vernalization Temperature **N/A**

CONTAINER SIZE	PLANTS PER POT	TRANSPLANT TO FINISH (WEEKS)
----------------	-------------------	---------------------------------

4 in./Qt. (10-12 cm)	1	6-8
-----------------------------	----------	------------

6 in./Gal. (15-16 cm)	1	8-10
------------------------------	----------	-------------

8-10 in./2-3 Gal. (20-25 cm)	3	10-12
-------------------------------------	----------	--------------

FERTILITY

Fertilizer Rate **150-200 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])**

EC Range **2.0-3.5 mS via SME**

pH Range **5.8-6.2**

TEMPERATURE

Day Temperature **65-75°F (18-24°C)**

Night Temperature **55-65°F (13-18°C)**

IRRIGATION

Irrigation Frequency **Level 4: Keep media moderately moist at all times**

LIGHT

Photoperiodic requirements **N/A: Grown for foliage**

Supplemental? **None**

Benefits From Shade? **No**

PINCHING

Finishing Pinch? **Yes**

Transplant to pinch (days) **14-21**

POTENTIAL DISEASES

Botrytis, Downy Mildew

POTENTIAL PESTS

?

PGR SUGGESTIONS

• None



TIPS

- Do not allow media to dry out.
- Herbs are regulated as edible crops in both the USA and Canada. Only apply fungicides, insecticides, and PGRs that are approved for edible crop production in your state/ province.

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com

614-850-9551

DummenOrange.com

PERENNIAL

FEATURES AND BENEFITS

Ocimum ‘Pesto Perpetuo’

Ocimum x citriodorum



KEY INFORMATION

First Year Flowering?	N/A: Grown for foliage
Bloom Time	N/A: Grown for foliage
Exposure	Full Sun
Hardiness Zone	9a-11
Height	14-18 inches (36-46 cm)
Width	10-16 inches (25-41 cm)

DESCRIPTION

CONSUMER APPEAL

GARDEN ATTRIBUTES

NATIVITY