

PERENNIAL

PROPAGATION

Scabiosa Flutter Series

Scabiosa columbaria



TRAY & ROOTING

Form	Unrooted Cuttings (URC)
Rooting Hormone	Yes
Tray Size	72, 105
Plants Per Cell	1
Days In Mist	5-7
Wks. From Stick To Transplant	6-8
Pinch?	No
Days from stick to pinch	N/A

FERTILITY

Fertilize Through Mist?	No
Fertilizer Rate	50-75 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])
EC Range	2.0-3.5 mS via SME
pH Range	5.8-6.2

TEMPERATURE

Average Soil Temperature	65-72°F (18-22°C)
Average Air Temperature	65-72°F (18-22°C)

IRRIGATION

Irrigation Frequency	Level 3: Keep media moderately moist with mild dry cycles
----------------------	--

LIGHT

Supplemental	Optional
Benefits From Shade?	No

POTENTIAL DISEASES

Bacterial Leaf Spot, Botrytis, Root and Stem Rot

POTENTIAL PESTS

Aphids, White Fly

PGR SUGGESTIONS

- Optional 300-500 ppm Florel (3.9% Ethephon)
- Optional 2-3 ppm Sumagic (0.055% Uniconazole)



'Deep Blue'

TIPS

• ?

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com

614-850-9551

DummenOrange.com

PERENNIAL

FINISHING

Scabiosa Flutter Series

Scabiosa columbaria



VERNALIZATION

Vernalization Required?	Beneficial
Vernalization Duration Minimum	6-8 weeks
Vernalization Temperature	35-40°F (1.6-4.4°C)

CONTAINER SIZE	PLANTS PER POT	TRANSPLANT TO FINISH (WEEKS)
----------------	----------------	------------------------------

4 in./Qt. (10-12 cm)	1	6-8
6 in./Gal. (15-16 cm)	1	8-10
8-10 in./2-3 Gal. (20-25 cm)	3	10-12

FERTILITY

Fertilizer Rate	150-200 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])
EC Range	2.0-3.5 mS via SME
pH Range	5.8-6.2

TEMPERATURE

Day Temperature	65-75°F (18-24°C)
Night Temperature	55-65°F (13-18°C)

IRRIGATION

Irrigation Frequency	Level 3: Keep media moderately moist with mild dry cycles
----------------------	--

LIGHT

Photoperiodic requirements	Long Day Facultative: 12+ Hours Daily
Supplemental?	None
Benefits From Shade?	No

PINCHING

Finishing Pinch?	Yes
Transplant to pinch (days)	14-21

POTENTIAL DISEASES

Bacterial Leaf Spot, Botrytis, Root and Stem Rot

POTENTIAL PESTS

Aphids, White Fly

PGR SUGGESTIONS

- 2000-3000 ppm B-Nine (85% Daminozide)
- 5-10 ppm Sumagic (0.055% Uniconazole)



'Rose Pink'

TIPS

- Remove the first flush of pre-flowering buds to encourage a higher final flower count.
- Scabiosa produced outdoors is generally of better quality than greenhouse grown.

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com

614-850-9551

[DummenOrange.com](https://www.DummenOrange.com)

PERENNIAL

FEATURES AND BENEFITS

Scabiosa Flutter Series

Scabiosa columbaria



KEY INFORMATION

First Year Flowering?	Yes
Bloom Time	Late Spring to Summer
Exposure	Full Sun
Hardiness Zone	5-9
Height	8-12 inches (20-30 cm)
Width	12-16 inches (30-41 cm)

DESCRIPTION

Tufted flowering lollipops raised above finely textured foliage make this a good addition to retail shops and gardens

CONSUMER APPEAL

- Hummingbirds and butterflies love Scabiosa! Deer generally avoid this plant.

GARDEN ATTRIBUTES

- Scabiosa makes an adorable additions to cut flower arrangements.
- Good in cottage gardens, rock gardens, meadow gardens, borders or as a container component.
- Scabiosa can handle nutrient poor soils; site in sandy or otherwise well-drained soils. Drought tolerant once established.

NATIVITY

Europe, Africa, and Asia; particularly around the Mediterranean Sea.

COMPANION PLANTS

Penstemon, Coreopsis, Lavandula, Dianthus, Gaillardia, Nepeta, Salvia, Stachys

COMMON NAME(S)

Pincushion Flower, Sweet Scabious, Mourningbride



'Rose Pink'

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com

614-850-9551

DummenOrange.com