

PERENNIAL

PROPAGATION

Lysimachia Open Cultivar(s)

Lysimachia nummularia



TRAY & ROOTING

Form	Unrooted Cuttings (URC)
Rooting Hormone	No
Tray Size(s)	72, 105
Plants Per Cell	1
Wks. From Stick To Transplant	3-4
Pinch?	Yes
Days from stick to pinch	14-21

FERTILITY

Fertilize Through Mist?	No
Fertilizer Rate	50-75 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])
EC Range	Low: (0.8-2.0 mS via SME)
pH Range	5.8-6.2

TEMPERATURE

Average Soil Temperature	18-22°C
Average Air Temperature	18-22°C

IRRIGATION

Irrigation Frequency	Level 3: Keep media moderately moist with mild dry cycles
----------------------	--

LIGHT

Supplemental	No
Benefits From Shade?	Yes

POTENTIAL DISEASES

Botrytis

POTENTIAL PESTS

aphids, whitefly

PGR SUGGESTIONS

- Optional 300-500 ppm Florel (3.9% Ethephon)
- Optional 5-6 ppm Sumagic (0.055% Uniconazole)

CULTIVAR LIST

Creeping Jenny Green, Creeping Jenny Yellow, Goldi



'Goldi'

TIPS

- Avoid dry soil media, plants will not recover after they have wilted.

WE'RE HERE TO HELP YOU GROW

Robbin den Herder- Product Manager
R.denHerder@DummenOrange.com
+31 174 530 100
[DummenOrange.com](https://www.DummenOrange.com)

PERENNIAL

FINISHING

Lysimachia Open Cultivar(s)

Lysimachia nummularia



VERNALIZATION

Vernalization Required? **No**

Vernalization Duration Minimum **N/A**

Vernalization Temperature **N/A**

CONTAINER SIZE	PLANTS PER POT	TRANSPLANT TO FINISH (WEEKS)
----------------	----------------	------------------------------

10-12 cm	1	4-5
-----------------	----------	------------

15-16 cm	2-3	5-8
-----------------	------------	------------

FERTILITY

Fertilizer Rate 100-150 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])

EC Range **Moderate: (2.0-3.5 mS via SME)**

pH Range **5.8-6.2**

TEMPERATURE

Day Temperature **18-24°C**

Night Temperature **13-18°C**

IRRIGATION

Irrigation Frequency **Level 3: Keep media moderately moist with mild dry cycles**

LIGHT

Photoperiodic requirements **Long day: 12+ hours daily**

Supplemental? **None**

Benefits From Shade? **Yes**

PINCHING

Finishing Pinch? **Yes**

Transplant to pinch (days) **14-21**

POTENTIAL DISEASES

Botrytis

POTENTIAL PESTS

aphids, whitefly

PGR SUGGESTIONS

- 3-5 ppm Bonzi (0.4% Paclobutrazol) drench
- 3750 ppm B-Nine (85% Daminozide)



'Creeping Jenny Green'

TIPS

- As soon as pots are full, ship to avoid excessive runners and unnecessary tangle.

WE'RE HERE TO HELP YOU GROW

Robbin den Herder- Product Manager

R.denHerder@DummenOrange.com

+31 174 530 100

[DummenOrange.com](https://www.DummenOrange.com)

PERENNIAL

FEATURES AND BENEFITS

Lysimachia Open Cultivar(s)

Lysimachia nummularia



KEY INFORMATION

First Year Flowering?	Yes
Bloom Time	Late Spring to Mid Summer
Exposure	Part Shade to Shade
Hardiness Zone	4-9
Height	5-10 cm
Width	60cm-120 cm

DESCRIPTION

Creeping to trailing, *Lysimachia* delivers bright foliage, striking colors, and tough tolerance across North America.

CONSUMER APPEAL

- The bright chartreuse foliage of this spreading groundcover makes it the perfect piece to brighten up dark areas of the garden.

GARDEN ATTRIBUTES

- *Lysimachia* is a wonderfully versatile perennial comfortable in containers, shady groundcover locations (even under trees and shrubs), shaded rock gardens, rain gardens, along ponds, and much more.
- Tolerant of wet to well drained soils. Can handle heavy clay and competition with tree root systems once established. Drought tolerant once established.
- Unless grown under absolutely ideal conditions, creeping Jenny is not dense enough to smother weeds.

NATIVITY

Europe

COMPANION PLANTS

Buddleia, *Paeonia*, *Eupatorium*(*Ageratina*), *Alstroemeria*, *Monarda*, *Agastache*, *Helleborus*, *Heuchera*

COMMON NAME(S)

creeping Jenny, moneywort herb twopence, twopenny thot



'Creeping Jenny Yellow'

WE'RE HERE TO HELP YOU GROW

Robbin den Herder- Product Manager
R.denHerder@DummenOrange.com
+31 174 530 100
[DummenOrange.com](https://www.DummenOrange.com)