

ANNUAL
PROPAGATION

BACOPA BAHIA SAND

Sutera cordata



TRAY & ROOTING

Form	Vegetative Cutting (URC)
Rooting Hormone?	Yes
Tray Size	
Plants Per Cell	2
Days In Mist	7-10
Wks. From Stick To Transplant	4-5
Propagation Pinch?	Yes
Weeks To Pinch	3

FERTILITY

Fertilize Through Mist?	None
Fertilizer Rate	75-100ppm N
EC Range	Moderate: (2.0-3.5 mS via SME)
pH Range	5.2-5.6

TEMPERATURE

Average Soil Temp	18-20°C
Average Air Temp (Day)	20-22°C
Average Air Temp(Night)	18-20°C

IRRIGATION

Irrigation Frequency	Level 2: Allow media to dry moderately between thorough waterings
----------------------	--

LIGHT

Daylength Neutral?	Yes
Supplemental	None
Benefits From Shade?	No

POTENTIAL DISEASES

Botrytis, Rhizoctonia, Pythium

POTENTIAL PESTS

White Fly, Thrips, Fungus Gnats

PGR SUGGESTIONS

- Ethephon

CULTIVAR LIST

White Sand, Blue Sand, Pink Sand, Purple Sand



TIPS

- Once roots form, discontinue mist and apply fertilizer starting at 75ppm.
- Low light can cause stretch and reduce liner quality.
- Reduce mist as soon as cuttings begin to root, excessive misting will delay rooting and promote Botrytis.

WE'RE HERE TO HELP YOU GROW

Joel Kempfer - Product Manager

J.kempfer@dummenorange.com

614-850-9551

DummenOrange.com

ANNUAL
FINISHING
BACOPA BAHIA SAND

Sutera cordata



CONTAINER SIZE	PLANTS PER POT	TRANSPLANT TO FINISH (WEEKS)
----------------	----------------	------------------------------

10-12 cm	1	5-8
13-15 cm	1-2	7-9
19 cm and up	3	7-12

FERTILITY

Fertilizer Rate	150-200 ppm N
EC Range	Moderate: (2.0-3.5 mS via SME)
pH Range	5.6-6.2

TEMPERATURE

Day Temperature	20-24°C
Night Temperature	18-23°C

IRRIGATION

Irrigation Frequency	Level 3: Keep media moderately moist with mild dry cycles
----------------------	--

LIGHT

Daylength Neutral?	Yes
Optimum Light Level	4,000-8,000 fc (43,100-86,100 lux)
Supplemental	None
Benefits From Shade?	No

PINCHING

Finishing Pinch?	Yes
Transplant to Pinch (days)	As needed to shape

POTENTIAL DISEASES

Botrytis, Rhizoctonia, Pythium

POTENTIAL PESTS

White Fly, Thrips, Fungus Gnats

PGR SUGGESTIONS

- Ethephon



TIPS

- A chelated iron fertilizer application may be necessary to fulfill the iron requirement during finish
- Avoid heavy PGR applications to maximize flower size.
- Uniform water supply is extremely important. Overwatering can cause root diseases and underwatering can cause flowers to abort or fail to develop altogether.
- Pinch established transplants for increased

WE'RE HERE TO HELP YOU GROW

Joel Kempfer - Product Manager

J.kempfer@dummenorange.com

614-850-9551

[DummenOrange.com](https://www.dummenorange.com)

ANNUAL

FEATURES AND BENEFITS

BACOPA BAHIA SAND

Sutera cordata



KEY INFORMATION

Primary Common Name	Bacopa
Consumer Watering Instructions	Keep soil evenly moist, but not saturated.
Bloom Time	Blooms Spring to Autumn
Exposure	Full Sun to Full Shade
Height	10-15 cm
Garden Spacing	20-30 cm

DESCRIPTION

Our Bahia Sand series sports a trailing growth habit great for hanging baskets and containers.

CONSUMER APPEAL

- Works well in mixed containers with complementing blooms and foliage textures. Very floriferous throughout the growing season.
- Attracts bees, butterflies, and even hummingbirds.
- Bacopa is a moderately drought tolerant plant that requires no deadheading.

GARDEN ATTRIBUTES

- Ideal for patio containers, but can perform well in some landscapes as well.
- Prefers moist, well drained soils.

NATIVITY

Africa



WE'RE HERE TO HELP YOU GROW

Joel Kempfer - Product Manager

J.kempfer@dummenorange.com

614-850-9551

DummenOrange.com